## ORIGINAL

## TSCA NON-CONFIDENTIAL BUSINESS INFORMATION **DOCUMENT DESCRIPTION DOCUMENT CONTROL NUMBER** DATE RECEIVED 88120000186 8EHQ-12-18643 4/27/12 COMMENTS:

**DOES NOT CONTAIN CBI** 

The Chemical Company

Helping Make Products Better™

RECEIVED OPPT CBIC

2012 APR 27 AM 11: 01

April 25, 2012



## Via Federal Express

United States Environmental Protection Agency - East Attn: TSCA Section 8(e) Room 6428 1201 Constitution Avenue, NW Washington, DC 20004

Subject: Notice in Accordance with Section 8(e): Results of a Combined Repeated Dose Toxicity

Study with the Reproduction/Developmental Toxicity Screening Test (OECD) 422) in

Wistar Rats with 6,15-dihydroanthrazine-5,9,14,18-tetrone (CAS No. 81-77-6)

Dear Section 8(e) Coordinator:

BASF Corporation is submitting results of a Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test (OECD) 422) in Wistar Rats with 6.15dihydroanthrazine-5,9,14,18-tetrone (CAS No. 81-77-6), conducted by BASF SE, Ludwigshafen. Germany. The test substance is a colorant.

The aim of this study was to obtain initial information on the possible effects of CAS 81-77-6 on the integrity and performance of the male and female reproductive systems including gonadal function. mating behavior, conception, gestation and parturition. Furthermore, information about the general toxicological profile including target organs and no-observed-adverse-effect-level (NOAEL) after repeated oral administration should be elucidated.

The study was carried out with reference to the requirements of the following guidelines:

- OECD Guidelines for Testing of Chemicals; No. 422, Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test (22 Mar 1996)
- EPA, Health Effects Test Guidelines; OPPTS 870.3650: Combined Repeated Dose Toxicity Study With the Reproduction/Developmental Toxicity Screening Test (Jul 2000)

The test substance was administered by gavage to groups of 10 male and 10 female Wistar rats. The concentration levels were 0, 100, 300 and 1000 mg/kg bw/d. All animals were observed daily for any clinical signs during the study period. After a 14-day premating period, the male and female parental animals were mated overnight in a 1:1 ratio until evidence of copulation (vaginal smear). The day on which sperm was detected was referred to as gestation day (GD) 0 and the following day as GD 1. The parental females were allowed to deliver and rear their pups until postnatal day (PND) 4. On PND 4, all pups were sacrificed and examined.

Contains No CBI

**BASF Corporation** 100 Campus Drive Florham Park, NJ 07932 Tel: (800) 526-1072 www.basf.com/usa





The Chemical Company

United States Environmental Protection Agency - East April 25, 2012 Page 2

## The following is a summary of the most relevant results:

1000 mg/kg bw/d (of test group 3)

- Complete litter loss in one animal of test group 3 (1000 mg/kg bw/d). This animal delivered no pups, but showed 10 implantation sites.
- Postimplantation loss of 19.1% in test group 3 vs. 2.8% in the control group
- Significantly decreased (up to 87%) food consumption during entire gestation period in females of test group 3.

BASF Corporation understands that reporting of the results from this study under TSCA 8(e) is in accordance with EPA's policy.

If you have any questions, please contact the undersigned at (973) 245-6693.

Sincerely.

Janet Cerra

Janet Cerra

**Product Regulatory Center of Expertise** 

North America

/

1313th Letter.doc

From: (973) 245-6693 Janet Cerra BASF 100 Campus Drive

Origin ID: LKKA

Fedex.

Ship Date: 25APR12 ActWgt: 1.0 LB CAD: 4487533/INET3250

Florham Park, NJ 07932

J12101112190225

Delivery Address Bar Code



BILL SENDER

Ref# US6: Invoice#

PO# Dept#

SHIP TO: (202) 564-8930 Attn: TSCA Section 8(e)

USEPA East Room 6428

1201 Constitution Avenue, NW

Washington, DC 20004

THU - 26 APR A1 STANDARD OVERNIGHT

TRK# 79


7934 9161 9316

20004 DC-US DCA

ZD RDVA



512G1/C44D/A278



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.

2. Fold the printed page along the horizontal line.

3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com.FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery,misdelivery,or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim.Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental,consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss.Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.